



Dell iDRAC 10 Central Policy Manager (CPM) Plug-in Implementation Guide

CyberArk Privilege Access Manager / Identity Security Platform - Versions 12.x or higher

All rights reserved. This document contains information and ideas, which are proprietary to CyberArk Software Ltd. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, without the prior written permission of CyberArk Software Ltd.

Changing Passwords on Dell iDRAC 10

The Central Password Manager enables organizations to change passwords automatically on remote machines and store the new passwords in the Enterprise Password Vault, with no human intervention, according to the organizational policy. This plug-in supports the changing of passwords for users on the Dell iDRAC 10 using the SSH protocol.

Prerequisite


This plugin runs on the Terminal Plugin Controller (TPC) engine found on the Marketplace [here](#).

Installation

You will receive the DelliDRAC10 plug-in zip archive from your CyberArk representative. The following instructions show you how to install it.

Installing the Dell iDRAC 10 Plug-in


1. Log in to the PVWA with an administrative account.
2. Go to Administration > Platform Management.
3. Click Import Platform. Upload the DelliDRAC10Plugin.zip file.




Platform Configuration

Please check that the following platform settings match your environment.

The settings can be modified by navigating to (PVWA UI) → Administration → Platform Management → DellIDRAC10 → ... → **Edit**



Automatic Password Management → Additional Policy Settings → Parameters



Parameter Name	Description	Value
Protocol	The protocol employed to connect to the target device.	SSH
Port	The port used to connect to the target device.	22

Adding DelliDRAC10 Accounts

Adding Accounts through via the Password Vault Web Access (PVWA) UI:

- [Create a new DelliDRAC10 account or use an existing one.](#)
- [Specify the required account properties.](#)
- [Associate a reconcile account with the new password object](#)

Note: If the Action is '**prereconcilepass**' or '**reconcilepass**' and if the associated **Reconcile account** has a "LogonDomain" value set; The username used to connect to the target host will be in the format:

<Reconcile Username>@<Reconcile Logon Domain>

Otherwise, the username used to connect will be in the format:

<Reconcile Username>

More Information

For more information about managing platforms and password objects in the Password Vault Web Access, refer to the online documentation:

[Limit platforms to specific Safes](#)

[Manage platforms](#)

General Notes

DelliDRAC10 plug-in supports the following:

- Password change
- Password verification
- Password reconciliation