



MySQL Workbench Connector

The Cyber-Ark Password Vault
Version 10.x

Copyright © 1999-2019 Cyber-Ark Software Ltd. All rights reserved.

This document contains information and ideas, which are proprietary to Cyber-Ark Software Ltd. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, scanning, or otherwise, without the prior written permission of Cyber-Ark Software Ltd.

EPVEMC07-2-0-1

Installation

Download the MySQL Workbench PSM Universal Connector from the CyberArk Marketplace. The following instructions show you how to install it.

Installing the MySQL Workbench PSM Universal Connector

1. Copy the following files from the installation package to the specified subfolder of the **Privileged Session Manager** installation folder on the PSM machine:
 - In the 'components' folder :
PSMMySQLDispatcher.exe

Configuration

Create the Connection Component

1. In PVWA go to Administration -> Options -> Connection Components
2. Select the connection component named "PSM-VNCCClientSample", right-click it and select copy
3. Right-click on "Connection Components" and paste
4. Rename the newly created component by setting "Id" to "PSM-MySQLWorkbench"
5. Under the new connection component :
 - Go to "Target Settings" and modify the "ClientDispatcher" field by replacing "PSMRealVNCDDispatcher.au3" with "PSMMySQLDispatcher.exe"
 - Go to "Target Settings" -> "Lock Application Window" and set "Enable" to "No"
 - Under "Target Settings" -> "Client Specific":
 - Right-click and "Add Parameter" with "BlockUserInput" Name and "Yes" Value
6. Click "OK" to save



Add the connection component to a platform

1. Go to Administration -> Platform Management
2. Select the platform for which you would like to use this connector
3. Click "Edit"
4. Go to "UI & Workflows" ->
 - Right click -> "Add Privileged Session Management" (it may be grayed out if the platform already has it configured)
 - If there is no "Connection Components" : Right click -> "Add Connection Components"
 - "Connection Components" → Add Connection Component
5. Rename newly created "Connection Component" to "PSM-MySQLWorkbench" (update Id field)
6. Click "OK" to save
7. On the PSM server – restart the service "Cyber-Ark Privileged Session Manager" (or wait for several minutes)

